

| Model | W.L.L. kg | Speed m/min | Ampere rating A | Dimensions mm | | | | | | | | | | | Weight* kg | |
|-----------------|--------------|----------------|-----------------------|---------------|----|-----|-----|-----|-----|----|----|-----|-----|-----|---------------|------|
| | | | | A | B | C | D | E | F | G | H | I | J | K | | L |
| TR10SY 400 V | 100 | 30 | 2,25 | 427 | 15 | 140 | 728 | 209 | 112 | 20 | 20 | 324 | 356 | 112 | 15 | 19,5 |
| TR10SY 690 V | 100 | 30 | 1,3 | 427 | 15 | 140 | 728 | 259 | 158 | 20 | 20 | 324 | 356 | 112 | 15 | 21,7 |

| | | | |
|-------------------------|-------------|--------------------|----------|
| Duty ratio | 100 % | Protection | I.P. 55 |
| Standard length | 20 m | Weight per meter | 30,7 g/m |
| Max length | 150 m | Breaking strength | 13,4 kN |
| Ø cord | 7 mm | Motor power output | 0,75 kW |
| Power supply 3 ph 50 Hz | 400V - 690V | Control voltage | 48V |

* Winch without rope

minifor™ TR10 SY

with synthetic rope



● High speed

● Long lifting length

● Synthetic rope

08/2008 - Noncontractual document - © TRACTEL S.A.S. 2008

Tractel products are certified:



TRACTEL is certified :



Bretteville Taljer & Maskiner AS
Griniveien 159
1359 EIKSMARKA
Tlf: +47 67 16 69 90 Fax: +47 67 16 68 11
www.brettevilletaljer.no
post@brettevilletaljer.no

TRACTEL UK Ltd
Old Lane, Halfway
SHEFFIELD S20 3GA
T: 44 114 248 22 66
Fax: 44 114 247 33 50

Tractel Group
www.tractel.com - E-mail : info.tsas@tractel.com

TRACTEL SAS
Export department
3, Rue du Fort Dumoulin B.P. 1113
L-1011 LUXEMBOURG
T.: 352 43 42 42 1
Fax : 352 43 42 42 200

Tractel Group

minifor™ TR10 SY with synthetic rope

The **minifor™ TR 10 SY with synthetic rope** has been specially designed to lift loads to exceptionally high heights (at twice the speed of an conventional minifor™).

It is an electric, portable hoist using through rope technology. It is lightweight, compact, giving it a wide range of applications on the work site.


With its flexibility, lightweight, the synthetic rope offers many advantages:

- Easy use at great heights
- Being synthetic rope, it does not damage the surrounding environment (as wire rope can)
- Ergonomic use and safety improved for the users.

The uses are very varied from windmills, to electric pylons to construction sites.


ADVANTAGES:

- **Rapid** lifting and descending of loads.
- **Reduced weight** of synthetic rope.
- **Simple and easy** product to use.




Transport case (optional)

Case made out of polyethylene, protecting the hoist while being transported.



Synthetic rope (optional)

Synthetic rope with a special end design to allow easy insertion into the hoist. Its technical specifications make it very easy to use while also being resistant.



minifor™ & Accessories Transport case (optional)

Case made out of polyethylene, protecting the hoist and its rope reeler while being transported.

