


Fixed pulleys with horizontal sheave PH6/7, rope $\varnothing = 6/7$ mm



New in 2025. A range of fixed pulleys with horizontal sheave.

Technical properties


Rigid steel frame.
Steel sheaves on bearings.

Technical characteristics of Fixed pulleys with horizontal sheave PH6/7, rope $\varnothing = 6/7$ mm

References	PH6/7
Wire rope \varnothing mm	6/7
External \varnothing mm	150
Max. capacity on rope (kg)	1000
Weight kg	5

Dimensions

References	PH6/7
A mm	240
B mm	59
C mm	150
Ø E mm	133
Screw Ø mm	13
F mm	210
G mm	70



Technical characteristics of the other models of the range

References	PH6/7	PH8/9	PH10/11	PH12/13
Wire rope Ø mm	6/7	8/9	10/11	12/13
External Ø mm	150	200	235	297
Max. capacity on rope (kg)	1000	1600	2500	4000
Weight kg	5	11.2	19.2	30.8



HUCHEZ
4, rue Michel HAMMID
60420 FERRIERES – France
☎ +33 (0) 3 44 51 11 33
🌐 www.huchez.com
✉ contact@huchez.fr



SERVICE CLIENTS
ATENCIO AL CLIENTE
KUNDENSERVICE

Pour en savoir plus, n'hésitez pas à nous contacter!
To know more, please contact us!
Para más información, póngase en contacto con nosotros!
Für weitere Informationen können Sie sich gerne an uns wenden!